



Predora

Long Acting Injectable Endectocide

Composition : Each ml contains :
Doramectin 10 mg, Oily base : q.s.

High Class Dewormer For Higher Performance

CONVENIENCE

Long acting, ready to use, precise dosing, well tolerated, excellent syringeability

COST EFFECTIVE

Single injection provides double advantage of extended prophylactic efficacy & broad spectrum therapeutic efficacy up to *73 days

EFFICACY

Treatment & control of gastrointestinal roundworms, lungworms, eyeworms, grubs, sucking lice and mange mites including 36 stages of adult parasites, L₄ larvae and inhibited larvae

WEIGHT GAIN

Better calf body weight gain up to 18 kg compared to untreated calves*

Immuno - Enhancer



PREDORA treatment given 2 weeks prior to planned vaccination improves immune response

SAFETY

Tissue friendly solution, *25X more safer than label dose safe for pregnant animals & calves



GIT nematodes after 56 days of treatment



PRDR

Fast acting Endectocide ...



Predora

Long Acting Injectable Endectocide

Composition : Each ml contains :
Doramectin 10 mg , Oily base : q.s.

Innovation Molecule

Doramectin, a highly active endectocidal molecule.

Duration of Action

Long lasting activity against broad spectrum of nematode and ectoparasites

Spectrum of Action

Long acting endectocide for treatment & control of gastrointestinal roundworms, lungworms, eyeworms, grubs, sucking lice and mange mites including 36 stages of adult parasites L₄ larvae and inhibited larvae of cattle, buffalo, sheep, goat & pig

Superior Bioavailability

More Bioavailable than Ivermectin, higher C_{max} & slower elimination rate i.e. greater concentration of drug (greater AUC)* **thus provides long lasting efficacy**

DOSAGE & ADMINISTRATION

1 ml (10 mg of Doramectin) / 50 kg body weight through s/c or 1/m route



Presentation : 20 & 50 ml

Acts Faster, Lasts Longer





Predora

Long Acting Injectable Endectocide

Composition : Each ml contains :
Doramectin 10 mg, Oily base : q.s.

High Class Dewormer For Higher Performance

CONVENIENCE

Long acting, ready to use, precise dosing, well tolerated, excellent syringeability

COST EFFECTIVE

Single injection provides double advantage of extended prophylactic efficacy & broad spectrum therapeutic efficacy up to *73 days

EFFICACY

Treatment & control of gastrointestinal roundworms, lungworms, eyeworms, grubs, sucking lice and mange mites including 36 stages of adult parasites, L₄ larvae and inhibited larvae

WEIGHT GAIN

Better calf body weight gain up to 18 kg compared to untreated calves*



Immuno - Enhancer

PREDORA treatment given 2 weeks prior to planned vaccination improves immune response

SAFETY

Tissue friendly solution, *25X more safer than label dose safe for pregnant animals & calves

GIT nematodes after 56 days of treatment



Fast acting Endectocide ...



Predora

Long Acting Injectable Endectocide

Composition : Each ml contains :
Doramectin 10 mg , Oily base : q.s.

Innovation Molecule

Doramectin, a highly active endectocidal molecule.

Duration of Action

Long lasting activity against broad spectrum of nematode and ectoparasites

Spectrum of Action

Long acting endectocide for treatment & control of gastrointestinal roundworms, lungworms, eyeworms, grubs, sucking lice and mange mites including 36 stages of adult parasites L₄ larvae and inhibited larvae of cattle, buffalo, sheep, goat & pig

Superior Bioavailability

More Bioavailable than Ivermectin, higher C_{max} & slower elimination rate i.e. greater concentration of drug (greater AUC)* **thus provides long lasting efficacy**

PD1

DOSAGE & ADMINISTRATION

1 ml (10 mg of Doramectin) / 50 kg body weight through s/c or 1/m route



Presentation : 20 & 50 ml

Acts Faster, Lasts Longer